

## QUESTIONNAIRE FOR HEALTHCARE PROFESSIONALS DURING THE SARS-CoV-2 PANDEMIC

## Sex

- Male
- Female

# Service/Specialties

- Allergology
- Anesthesiology
- Anatomical pathology
- Clinical Biochemistry
- Pediatric Cardiology
- Cardiology
- Cardiac Surgery
- General and Digestive Surgery
- Oral and maxillofacial surgery
- Plastic surgery
- Thoracic surgery
- Vascular surgery
- Palliative Care
- Dermatology
- Endocrinology and nutrition
- Infectious Diseases
- Pharmacology
- Gastroenterology
- Genetic
- Geriatrics
- Gynecology
- Hematology
- Immunology
- General Medicine
- Intensive Care Medicine
- Internal Medicine
- Preventive Medicine and Public Health
- Microbiology
- Nephrology
- Pneumology
- Neurosurgery
- Clinical Neurophysiology
- Ophthalmology
- Medical oncology
- Radiotherapy
- Otorhinolaryngology
- Occupational Health
- Clinical psychology
- Pediatrics



- Psychiatry
- Radiophysics
- Radiology
- Rehabilitation
- Rheumatology
- Traumatology
- Emergency Medicine
- Urology

#### **EXPERIENCE**

- Years working as an attending physician
- Years working as a resident

#### **SYMPTOMS**

Since the start of the SARS-CoV-2 pandemic, have you experienced any symptoms compatible with Covid-19 infection? Yes/No

Date of symptoms onset: dd/mm/yyyy

How many days did you work with symptoms?

#### ASSISTENTIAL ACTIVITY

During this period, have you participated in any clinical patient-related activities (ER, consultation, hospitalization...)? Yes/No

Since the start of the SARS-CoV-19 pandemic, have you attended to any infected (confirmed or suspected) patients with SARS-CoV-2?

- a. Yes, I was aware of the patient's condition, so I made use of all the protection measures established by my institution.
- b. Yes, I was aware of the patient's condition, but I didn't use the protection measures established by my institution
- c. Yes, but I was not aware of the patient's condition, so I didn't use the protection measures established by my institution.
- d. Yes, even though I was not aware of the patient's condition, I used the protection measures established by my institution
- e. No, I haven't attended on any patient with suspected/confirmed Covid-19 infection.

During this period, have you performed any aerosol generating procedures? Yes/No

When performing an aerosol generating procedure, were you wearing all the elements of the personal protective equipment (PPE)?

- a. Yes, I was wearing a complete PPE
- b. No, I wasn't wearing a complete PPE



Which elements of the PPE were you wearing when performing an aerosol generating procedure?

## PROTECTIVE MEASURES

In a scale from 0 to 10 (0 being the worst option, and 10 being the best option), how would you describe the use of these protective measures?

## **Surgical or FPP2 mask**

- Availability: 0-10
- Use when necessary following the institution's recommendations: 0-10
- Perception of a correct use: 0-10

# Safety goggles/face shields

- Availability: 0-10
- Use when necessary following the institution's recommendations: 0-10
- Perception of a correct use: 0-10

# Nitrile gloves

- Availability: 0-10
- Use when necessary following the institution's recommendations: 0-10
- Perception of a correct use: 0-10

# Disposable and fluid resistant gowns:

- Availability: 0-10
- Use when necessary following the institution's recommendations: 0-10
- Perception of a correct use: 0-10

## Other non-homologated measures:

#### HAND HYGIENE PRODUCTS

In a scale from 0 to 10 (0 being the worst option, and 10 being the best option), how would you describe the use of these hand hygiene products and activities?

# **Hydroalcoholic Solution**

- Availability: 0-10
- Use when necessary following the institution's recommendations: 0-10
- Perception of a correct use: 0-10

# Hand soap:

- Availability: 0-10
- Use when necessary following the institution's recommendations: 0-10
- Perception of a correct use: 0-10



## **5 Moments for Hand Hygiene**

Before touching a patient: 0-10

Before clean/aseptic procedures: 0-10

After body fluid exposure/risk: 0-10

After touching a patient: 0-10

After touching patient surroundings: 0-10

#### PREVENTION MEASURES

In a scale from 0 to 10 and since the start of the SARS-CoV-2 pandemic, which of these measures have you performed and how?

- Hand hygiene in your institution before your workday: 0-10
- Hand hygiene in your institution after your workday: 0-10
- Hygiene of personal objects (keys, mobile phone...) in your institution before your workday: 0-10
- Hygiene of personal objects (keys, mobile phone...) in your institution after your workday: 0-10
- Social distancing (at least 1 meter) in the workplace: 0-10
- Disinfection of shared materials (computers, pager...) before use: 0-10

#### **ACTIVITIES IN THE INSTITUTION**

Since the since the start of the SARS-CoV-2 pandemic:

- How many times did you use the hospital's cafeteria?
- How many times did you have a meal in a common area (office, common room...)?
- How many times did you go to the laundry facilities to change the work uniform?
- How many times did you share a changing room?
- How many DAYS did you share a work office?
- How many 24-hour on-call shifts did you have?
  - 0
  - 0 1-5
  - o **6-10**
  - o >10
- If you had any 24-hour on-call shifts, what type of bed did you use?
  - Shared bed
  - o Single bed

OTHER ACTIVITIES AND CONTACT



Since the since the start of the SARS-CoV-2 pandemic, have you had any known close contact\* with a confirmed or suspected SARS-CoV-2 patient out of the workplace environment (household...)? Yes/No

\*Close contact: providing care without recommended PPE or a possible breach of PPE; household relatives; having had face-to-face contact with a COVID-19 case within 2 meters for more than 15 minutes.

Since the since the start of the SARS-CoV-2 pandemic, have you had any known close contact\* with a confirmed or suspected SARS-CoV-2 patient in the workplace environment (referring to coworkers and not patients)? Yes/No

\*Close contact: providing care without recommended PPE or a possible breach of PPE; household relatives; having had face-to-face contact with a COVID-19 case within 2 meters for more than 15 minutes.

Since the since the start of the SARS-CoV-2 pandemic, what is your main mode of transport to work?

- Walking
- Bicycle
- Motorcycle
- Private car
- Shared car
- Public transport (subway, bus, train...)
- Taxi

Have you gone to any activities other than work (grocery shopping...)? Yes/No

In your opinion, which situations put you at the most risk of SARS-CoV-2 infection?